


SUPERCUT/TOCF for *tubed transistors*



SUPERCUT/TOCF automatic machine is designed to cut and form tubed radial components type TO220, TO218, TO126.

The complete operation is fully automatic and each form needs dedicated die as well as each type of transistor requires dedicated clamping assembly and tube holder.

The full tube is introduced into the upper guide and a pneumatic system allows the component clamping and its positioning in the working point. The leads have before locked by the wire holder and after formed by the sliding die.

Production rate: up to 2500pcs/hr

7915.174

7915.175

120.300

120.350

120.400

120.450

120.500

120.550

SUPERCUT/TOCF without tools, 110Vac

SUPERCUT/TOCF without tools, 220Vac

TO126 Clamping Assembly

TO126 Tube Holder


TO220 Clamping Assembly

TO220 Tube Holder


TO218 Clamping Assembly

TO218 Tube Holder


121000
TO220
STRAIGHT CUT




121300
TO220
90° BENDING




121400
TO220
SURFACE
MOUNTING




122100
TO220
CENTER LEAD OUT




122200
TO220
CENTER LEAD
SPREAD AND
LOCK



122300
TO220
CENTER LEAD
SPREAD
3 LEAD LOCK



122400
TO220
STAND-OFF .
LOCK-IN
3LEAD IN LINE



123100
TO220
90° BENDING
CENTER LEAD
5mm OUT

